		Hydrauli	c Conductivity (I	(ft/day)						Gradien
Location Depth	Depth	12-inch Test	24-inch Test	36-inch Test	Average K (ft/day)					0.005
Source Area						Log K	log12	log24	log36	
	25	21.1	19.2	15.9	18.73	1.27	1.324282	1.283301	1.201397	0.35
	50	2.74	2.05	1.94	2.24	0.35	0.437751	0.311754	0.287802	0.05
GP108	70	4.09	3.68	3.46	3.74	0.57	0.611723	0.565848	0.539076	0.07
	90	1.56	1.17	1.14	1.29	0.11	0.193125	0.068186	0.056905	0.03
	100	1.33	1.26	1.02	1.20	0.08	0.123852	0.100371	0.0086	0.02
	25	11.7	11.3	11.1	11.37	1.06	1.068186	1.053078	1.045323	0.20
GP109	50	1.30	1.69	1.35	1.52	0.18	0.113943	0.227887	0.130334	0.03
GF109	90	1.63	1.73	1.53	1.63	0.21	0.212188	0.238046	0.184691	0.03
	100	0.353	0.404	0.382	0.38	-0.42	-0.45223	-0.39362	-0.41794	0.01
	25	69.2	67.1	45.1	60.47	1.78	1.840106	1.826723	1.654177	1.15
GP110	50	9.90	8.83	7.20	8.02	0.90	0.995635	0.945961	0.857332	0.17
GFIIU	90	1.36	1.38	1.25	1.33	0.12	0.133539	0.139879	0.09691	0.02
	100	1.37	1.14	1.13	1.21	0.08	0.136721	0.056905	0.053078	0.02
	55	5.53	4.94	4.74	5.07	0.71	0.742725	0.693727	0.675778	0.09
GP111A	74	0.831	0.920	0.944	0.93	-0.03	-0.0804	-0.03621	-0.02503	0.02
GPITIA	90	1.50	1.42	1.42	1.45	0.16	0.176091	0.152288	0.152288	0.03
	105	3.04	3.01	2.54	2.86	0.46	0.482874	0.478566	0.404834	0.05
GP112A	27	15.8	17.0	13.7	15.50	1.19	1.198657	1.230449	1.136721	0.28
GFTIZA	55	1.02	1.13	1.16	1.10	0.04	0.0086	0.053078	0.064458	0.02
	84	0.275	0.030	0.276	0.19	-0.71	-0.56067	-1.52871	-0.55909	0.00
GP113A	96	11.0	12.2	12.0	11.73	1.07	1.041393	1.08636	1.079181	0.20
	110	2.50	3.03	3.22	2.92	0.46	0.39794	0.481443	0.507856	0.05
	24	9.60	19.1	3.88	10.86	1.04	0.982271	1.281033	0.588832	0.32
GP114A	54	5.69	6.11	6.62	6.37	0.80	0.755112	0.786041	0.820858	0.11
CI TIAA	74	3.84	3.88	3.41	3,71	0.57	0.584331	0.588832	0.532754	0.06
	90	0.358	0.444		0.40	-0.40	-0.44612	-0.35262	#VALUE!	0.01
	25	39.1	35.5	33.9	36.17	1.56	1.592177	1.550228	1.5302	0.65
GP115	59	2.59	3.34	3.79	3.57	0.55	0.4133	0.523746	0.578639	0.06
GI 113	80	16.4	14.3	15.2	15.30	1.18	1.214844	1.155336	1.181844	0.27
	110	0.659	0.465	0.478	0.53	-0.27	-0.18111	-0.33255	-0.32057	0.01
GP116	74	3.07	3.44	3.90	3.47	0.54	0.487138	0.536558	0.591065	0.07
- GI 110	110	1.96	1.45	1.32	1.58	0.20	0.292256	0.161368	0.120574	0.03
	75	0.413			0.41	-0.38	-0.38405	#VALUE!		0.01
GP117	85	1.80	1.50	1.27	1.52	0.18	0.255273	0.176091	0.103804	0.03
	100	1.84	2.90	3.16	2.63	0.42	0.264818	0.462398	0.499687	0.05



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP108-25
 Slug Test: 12-inch
 Test Well: GP108-25

 Test Conducted by:
 Test Date: 6/24/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/24/2008



Calculation	after	Bouwer	ጼ	Rice
Culculation	aitoi	Dogwood	u	1 1100

4		
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP108-25	2.11 × 10 ¹	



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20


Client: Siltronic Corporation

 Location: GP108-25
 Slug Test: 24-inch
 Test Well: GP108-25

 Test Conducted by:
 Test Date: 6/24/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/24/2008

Aquifer Thickness: 75.00 ft



Observation Well	Hydraulic Conductivity			
	[ft/d]			
GP108-25	1.92 x 10 ¹			




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP108-25	Slug Test: 36-inch	Test Well: GP108-25
Test Conducted by:		Test Date: 6/24/2008
Analysis Performed by:	Bouwer Rice-36 in	Analysis Date: 6/24/2008



Calculation	after	Poissor	Q.	Dico	
Calculation	anter	Bouwer	σ	HICE	

Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP108-25	1.59 × 10 ¹	



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20


Client: Siltronic Corporation

 Location: GP108
 Slug Test: 12-inch
 Test Well: GP108-50

 Test Conducted by:
 Test Date: 6/24/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/24/2008

Aquifer Thickness: 75.00 ft



Observation Well	Hydraulic Conductivity	 	 	 	
	[ft/d]				
GP108-50	2.74 × 10 ⁰				



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20


Client: Siltronic Corporation

 Location: GP108
 Slug Test: 24-inch
 Test Well: GP108-50

 Test Conducted by:
 Test Date: 6/24/2008

 Analysis Performed by:
 Bouwer Rice-24-in
 Analysis Date: 6/24/2008

Aquifer Thickness: 75.00 ft



Calculation and Boards	Q 1100			
Observation Well	Hydraulic Conductivity			
·	[ft/d]			
GP108-50	2.05 × 10 ⁰	<u> </u>		



Slug Test Analysis Report


Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP108 Slug Test: 36-inch Test Well: GP108-50
Test Conducted by: Test Date: 6/24/2008
Analysis Performed by: Bouwer Rice-36 in Analysis Date: 6/24/2008

Aquifer Thickness: 75.00 ft



Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP108-50	1.94 × 10°	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP108-70
 Slug Test: 12-inch
 Test Well: GP108-70

 Test Conducted by:
 Test Date: 6/24/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/24/2008



Calculation	after Bouy	ver & Rice				

Observation Well	Hydraulic Conductivity		 	
	[ft/d]			
GP108-70	4.09 × 10 ⁰			



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP108-70
 Slug Test: 24-inch
 Test Well: GP108-70

 Test Conducted by:
 Test Date: 6/24/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/24/2008



Calculation after	Bouwer &	Rice
-------------------	----------	------

Observation Well	Hydraulic Conductivity		 	***************************************	
	[ft/d]			•	
GP108-70	3.68 × 10 ⁰				



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP108-70
 Slug Test: 36-inch
 Test Well: GP108-70

 Test Conducted by:
 Test Date: 6/24/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/24/2008



Calculation after Bouwer & Rice		 			
Observation Well	Hydraulic Conductivity			 	
	[ft/d]				÷
GP108-70	3.46×10^{0}		 	 	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP108-90
 Slug Test: 12-inch
 Test Well: GP108-90

 Test Conducted by:
 Test Date: 6/24/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/24/2008



Observation Well	Hydraulic Conductivity			
	[ft/d]			
GP108-90	1.56 × 10 ⁰		 	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP108-90
 Slug Test: 24-inch
 Test Well: GP108-90

 Test Conducted by:
 Test Date: 6/24/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/24/2008



Calculation after Bouwer & Rice		
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP108-90	1.17 × 10 ⁰	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP108-90
 Slug Test: 36-inch
 Test Well: GP108-90

 Test Conducted by:
 Test Date: 6/24/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/24/2008



Calculation after Bouwer & Rice		
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP108-90	1.14×10^{0}	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP108-100
 Stug Test: 12-inch
 Test Well: GP108-100

 Test Conducted by:
 Test Date: 6/25/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/25/2008



Calculation after	er Bouwer & Rice
-------------------	------------------

Observation Well	Hydraulic Conductivity			
	[ft/d]			•
GP108-100	1.33 × 10 ⁰			




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP108-100 Slug Test: 24-inch Test Well: GP108-100
Test Conducted by: Test Date: 6/25/2008
Analysis Performed by: Bouwer Rice-24 in Analysis Date: 6/25/2008



Calculation after Bouwer	& Rice	
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP108-100	1.26 × 10 ⁰	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP108-100
 Slug Test: 36-inch
 Test Well: GP108-100

 Test Conducted by:
 Test Date: 6/25/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/25/2008



Observation Well	Hydraulic Conductivity	 		
	[ft/d]			
GP108-100	1.02 × 10 ⁰	 		



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP109-25
 Slug Test: 12-inch
 Test Well: GP109-25

 Test Conducted by:
 Test Date: 6/25/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/25/2008



Calculation	after	Bouwer.	ጼ	Rice	

Observation Well	Hydraulic Conductivity			
	[ft/d]			
GP109-25	1.17 × 10 ¹			



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20


Client: Siltronic Corporation

 Location: GP109-25
 Slug Test: 24-inch
 Test Well: GP109-25

 Test Conducted by:
 Test Date: 6/25/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/25/2008

Aquifer Thickness: 75.00 ft



Hydraulic Conductivity						
[ft/d]						
1.13 × 10 ¹						
	Hydraulic Conductivity [ft/d]					



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP109-25
 Slug Test: 36-inch
 Test Well: GP109-25

 Test Conducted by:
 Test Date: 6/25/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/25/2008



Calculation after Bouwer	& Rice	
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP109-25	1.11 × 10 ¹	



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20


Client: Siltronic Corporation

 Location: GP109-50
 Slug Test: 12-inch
 Test Well: GP109-50

 Test Conducted by:
 Test Date: 6/25/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/25/2008

Aquifer Thickness: 75.00 ft



Calculation after Bouwer & Rice

Observation Well Hydraulic Conductivity

[ft/d]

GP109-50 1.30 × 10⁰



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP109-50
 Slug Test: 24-inch
 Test Well: GP109-50

 Test Conducted by:
 Test Date: 6/25/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/25/2008



(Calculation after Bouwer & Rice		
	Observation Well	Hydraulic Conductivity	
		[ft/d]	
(GP109-50	1.69 x 10°	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP109-50
 Slug Test: 36-inch
 Test Well: GP109-50

 Test Conducted by:
 Test Date: 6/25/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/25/2008



Calculation after Bouwer & Rice		
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP109-50	1.35×10^{0}	




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP109-90 Slug Test: 12-inch Test Well: GP109-90
Test Conducted by: Test Date: 6/25/2008
Analysis Performed by: Bouwer Rice-12 in Analysis Date: 6/25/2008



Calculation after	Bouwer	8	Rice	
-------------------	--------	---	------	--

Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP109-90	1.63 × 10 ⁰	



Hydraulic Conductivity

[ft/d] 1.73 × 10⁰ Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP109-90
 Slug Test: 24-inch
 Test Well: GP109-90


 Test Conducted by:
 Test Date: 6/25/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/25/2008

Aquifer Thickness: 75.00 ft

Observation Well

GP109-90





Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP109-90
 Slug Test: 36-inch
 Test Well: GP109-90

 Test Conducted by:
 Test Date: 6/25/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/25/2008



Calculation after Bouwer	r & Rice	
Observation Well	Hydraulic Conductivity	
}	[ft/d]	
GP109-90	1.53 × 10 ⁰	




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

		·
Location: GP109-100	Slug Test: 12-inch	Test Well: GP109-100
Test Conducted by:		Test Date: 6/25/2008
Analysis Performed by:	Bouwer Rice-12 in	Analysis Date: 6/25/2008



Calculation after Bou	wer & Rice		
Observation Well	Hydraulic Conductivity		
	[ft/d]	•	
GP109-100	3.53 × 10 ⁻¹		



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP109-100
 Slug Test: 24-inch
 Test Well: GP109-100

 Test Conducted by:
 Test Date: 6/25/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/25/2008



Calculation after Bouwer	& Rice			 	
Observation Well	Hydraulic Conductivity			 	
	[ft/d]	•			
GP109-100	4.04 × 10 ⁻¹				



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20


Client: Siltronic Corporation

 Location: GP109-100
 Slug Test: 36-inch
 Test Well: GP109-100

 Test Conducted by:
 Test Date: 6/25/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/25/2008

Aquifer Thickness: 75.00 ft



Calculation after Bouwer & Rice

Observation Well Hydraulic Conductivity [ft/d]

GP109-100 3.82 × 10⁻¹



Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP110-25
 Slug Test: 12-inch
 Test Well: GP110-25

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/26/2008



Calculation after Bouwer & Rice						
	Observation Well	Hydraulic Conductivity				
		[ft/d]				
	GP110-25	6.92×10^{1}				




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Slug Test: 24-inch Test Well: GP110-25 Location: GP110-25 Test Conducted by: Test Date: 6/26/2008 Analysis Performed by: Bouwer Rice-24 in Analysis Date: 6/26/2008



Calculation after Bouwer	Calculation after Bouwer & Rice						
Observation Well	Hydraulic Conductivity						
	[ft/d]						
GP110-25	6.79 × 10 ¹						




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP110-25 Slug Test: 36-inch Test Well: GP110-25
Test Conducted by: Test Date: 6/26/2008
Analysis Performed by: Bouwer Rice-36 in Analysis Date: 6/26/2008



Calculation after Bouwer & Rice							
Observation Well	Hydraulic Conductivity [ft/d]						
GP110-25	4.51 × 10 ¹					·	




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP110-25 Slug Test: 12-inch Test Well: GP110-25 Test Conducted by: Test Date: 6/26/2008 Analysis Performed by: Bouwer Rice-12 in Analysis Date: 6/26/2008 Aquifer Thickness: 75.00 ft Time [s] 14 28 42 56 70 2E-1



Calculation after Bouwer & Rice							
Observation Well	Hydraulic Conductivity						
	[ft/d]						
GP110-25	6.51 × 10 ⁰						




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP110-25 Slug Test: 24-inch Test Well: GP110-25
Test Conducted by: Test Date: 6/26/2008
Analysis Performed by: Bouwer Rice-24 in Analysis Date: 6/26/2008



Calculation after Bouwer	Calculation after Bouwer & Rice		
Observation Well	Hydraulic Conductivity		
	[ft/d]		
GP110-25	4.50 × 10 ⁰		



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP110-25
 Slug Test: 36-inch
 Test Well: GP110-25

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/26/2008



Calculation	after	Bouwer	ጼ	Rice	

Calculation after bouwer	Calculation after bodwer a file				
Observation Well	Hydraulic Conductivity				
	[ft/d]]			
GP110-25	7.78×10^{0}				



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP110-50
 Slug Test: 12-inch
 Test Well: GP110-50

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/26/2008



Calculation after Bouwer	Calculation after Bouwer & Rice					
Observation Well	Hydraulic Conductivity					
1	[ft/d]					
GP110-50	9.90 × 10 ⁰					



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP110-50
 Slug Test: 24-inch
 Test Well: GP110-50

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/26/2008



Calculation after Bouwer & Rice					
Observation Well	Hydraulic Conductivity				
	[ft/d]				
GP110-50	8.83 × 10 ⁰				



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP110-50
 Slug Test: 36-inch
 Test Well: GP110-50

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/26/2008



Calculation after Bouwer 8	& Rice	
Observation Well	Hydraulic Conductivity [ft/d]	
GP110-50	7.20 × 10 ⁰	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP110-90
 Siug Test: 12-inch
 Test Well: GP110-90

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice				
Observation Well	Hydraulic Conductivity		 	 	<u> </u>
	[ft/d]				
GP110-90	1.36 × 10 ⁰	 	 	 	




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP110-90 Slug Test: 24-inch Test Well: GP110-90
Test Conducted by: Test Date: 6/26/2008
Analysis Performed by: Bouwer Rice-24 in Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice	 	 		
Observation Well	Hydraulic Conductivity				
1	[ft/d]				
GP110-90	1.38 × 10 ⁰	 	 	·· <u></u> .	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP110-90
 Slug Test: 36-inch
 Test Well: GP110-90

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/26/2008



0-1-1-1-1		D			
Calculation	aner	Bouwer	Čκ	HICE	

Calculation after bouwer &	C HICE		 	
Observation Well	Hydraulic Conductivity	_		
	[ft/d]			
GP110-90	1.25 × 10 ⁰			



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP110-100
 Slug Test: 12-inch
 Test Well: GP110-100

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice	
Observation Well	Hydraulic Conductivity [ft/d]	
GP110-100	1.37 × 10 ⁰	




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP110-100 Slug Test: 24-inch Test Well: GP110-100
Test Conducted by: Test Date: 6/26/2008
Analysis Performed by: Bouwer Rice-24 in Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice	
Observation Well	Hydraulic Conductivity	
Í	[ft/d]	
GP110-100	1.14 × 10 ⁰	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP110-100
 Slug Test: 36-inch
 Test Well: GP110-100

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/26/2008



Calculation after Bouwer & Ric		
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP110-100	1.13×10^{0}	



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP111A-55

Slug Test: 12-inch


Test Well: GP111A-55

Test Date: 6/26/2008

Analysis Performed by:

Bouwer Rice-12- in

Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice			
Observation Well	Hydraulic Conductivity			
	[ft/d]			
GP111A-55	5.53 × 10 ⁰	 	 	



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP111A-55

Slug Test: 24-inch


Test Well: GP111A-55

Test Date: 6/26/2008

Analysis Performed by:

Bouwer Rice-24 in

Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice	 		
Observation Well	Hydraulic Conductivity			
	[ft/d]			
GP111A-55	4.94 × 10 ⁰	 	 	 -




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP111A-55
Slug Test: 36-inch
Test Well: GP111A-55
Test Conducted by:
Test Date: 6/26/2008
Analysis Performed by:
Bouwer Rice-36 in
Analysis Date: 6/26/2008



Calculation	after	Bouwer	&	Rice	

Observation Well	Hydraulic Conductivity		•
	[ft/d]		
GP111A-55	4.74×10^{0}	 	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP111A-74
 Slug Test: 12-inch
 Test Well: GP111A-74

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/26/2008



Calculation after Bouwer & Rice				
Observation Well	Hydraulic Conductivity			
	[ft/d]			
GP111A-74	8.31 × 10 ⁻¹			



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP111A-74
 Slug Test: 24-inch
 Test Well: GP111A-74

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/26/2008



Calculation after Bouwer & Rice		 				
Observation Well	Hydraulic Conductivity			-		
	[ft/d]					
GP111A-74	9.20 × 10 ⁻¹		 	<u>.</u>	"	




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

	O HOTHE	om one of polation
Location: GP111A-74	Slug Test: 36-inch	Test Well: GP111A-74
Test Conducted by:		Test Date: 6/26/2008
Analysis Performed by:	Bouwer Rice-24 in	Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice	•	
Observation Well	Hydraulic Conductivity		
	[ft/d]		
GP111A-74	9.44 × 10 ⁻¹		




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP111A-90 Slug Test: 12-inch Test Well: GP111A-90
Test Conducted by: Test Date: 6/26/2008
Analysis Performed by: Bouwer Rice-12 in Analysis Date: 6/26/2008



Calculation after Bouwer & Rice						
Observation Well	Hydraulic Conductivity					
	[ft/d]					
GP111A-90	1.50 × 10 ⁰					



Slug Test	Analysis	Report
-----------	-----------------	--------

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP111A-90
 Slug Test: 24-inch
 Test Well: GP111A-90

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/26/2008



	Calculation after Bouwer & Rice					
	Observation Well	Hydraulic Conductivity	у			
1		[ft/d]		•		
	GP111A-90	1.42 × 10°				



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP111A-90
 Slug Test: 36-inch
 Test Well: GP111A-90

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/26/2008



Calculation after Bouwer & Rice	on after Bouwer & Rice						
Observation Well	Hydraulic Conductivity			- -			
	[ft/d]						
GP111A-90	1.42 × 10 ⁰						·



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP111A-105
 Slug Test: 12-inch
 Test Well: GP111A-105

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice			 	
Observation Well	Hydraulic Conductivity				
}	[ft/d]				
GP111A-105	3.04×10^{0}	 			



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP111A-105
 Slug Test: 24-inch
 Test Well: GP111A-105

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/26/2008



Calculation after Bouwer & Rice							
	Observation Well	Hydraulic Conductivity					
		[ft/d]					
	GP111A-105	3.01 × 10 ⁰					



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP111A-105
 Slug Test: 36-inch
 Test Well: GP111A-105

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/26/2008



Calculation after Bouwer & Rice					
Observation Well	Hydraulic Conductivity				
	[ft/d]				
GP111A-105	2.54 × 10 ⁰				



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

Location: GP112A-27 Slug Test: 12-inch Test Well: GP112A-27

Test Conducted by: Test Date: 6/26/2008

Analysis Performed by: Bouwer Rice-12 in Analysis Date: 6/26/2008



Calculation after Bouwer & Rice							
Observation Well	Hydraulic Conductivity		**************************************				
	[ft/d]						
GP112A-27	1.58 × 10 ¹						



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP112A-27

Test Conducted by:


Analysis Performed by:

Slug Test: 24-inch

Test Well: GP112A-27

Test Date: 6/26/2008

Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice	
Observation Well	Hydraulic Conductivity [ft/d]	
GP112A-27	1.70 × 10 ¹	



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP112A-27

Test Conducted by:


Analysis Performed by:

Bouwer Rice-36 in

Test Well: GP112A-27

Test Date: 6/26/2008

Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice	
Observation Well	Hydraulic Conductivity	
1	[ft/d]	
GP112A-27	1.37 × 10 ¹	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP112A-55
 Slug Test: 12-inch
 Test Well: GP112A-55

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice	
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP112A-55	1.02 × 10 ⁰	




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP112A-55
Slug Test: 24-inch
Test Well: GP112A-55
Test Date: 6/26/2008
Analysis Performed by: Bouwer Rice-24 in Analysis Date: 6/26/2008



Calculation after Bouwer	Rice	
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP112A-55	1.13×10^{0}	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP112A-55
 Slug Test: 36-inch
 Test Well: GP112A-55

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/26/2008



Calculation after Bouw	er & Rice		_
Observation Well	Hydraulic Conductivity		
	[ft/d]		
GP112A-55	1.16 × 10°		



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP113A-84

Slug Test: 12-inch


Test Well: GP113A-84

Test Date: 6/26/2008

Analysis Performed by:

Bouwer Rice-12 in

Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice			
Observation Well	Hydraulic Conductivity			
1	[ft/d]			
GP113A-84	2.75 × 10 ⁻¹	 	<u> </u>	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP113A-84
 Slug Test: 24-inch
 Test Well: GP113A-84

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice	
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP113A-84	2.96 × 10 ⁻¹	



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP113A-84

Test Conducted by:


Analysis Performed by:

Slug Test: 36-inch

Test Well: GP113A-84

Test Date: 6/26/2008

Analysis Date: 6/26/2008



	0.001		 	
Calculation after Bouwer	r & Hice			
Observation Well	Hydraulic Conductivity			
	[ft/d]			
GP113A-84	2.76 × 10 ⁻¹			



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP113A-96
 Slug Test: 12-inch
 Test Well: GP113A-96

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice	
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP113A-96	1.10 × 10 ¹	



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP113A-96

Test Conducted by:


Analysis Performed by:

Slug Test: 24-inch

Test Well: GP113A-96

Test Date: 6/26/2008

Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice	·	
Observation Well	Hydraulic Conductivity		
)	[ft/d]		
GP113A-96	1.22 × 10 ¹		



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP113A-96
 Slug Test: 36-inch
 Test Well: GP113A-96

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice	
Observation Well	Hydraulic Conductivity	
Ì	[ft/d]	
GP113A-96	1.20 × 10 ¹	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP113A-110
 Slug Test: 12-inch
 Test Well: GP113A-110

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/26/2008



Calculation after Bouwer	& Rice	 		
Observation Well	Hydraulic Conductivity			
	[ft/d]		•	
GP113A-110	2.50 × 10 ⁰			



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

Location: GP113A-110 Slug Test: 24-inch Test Well: GP113A-110

Test Conducted by: Test Date: 6/26/2008

Analysis Performed by: Bouwer Rice-24 in Analysis Date: 6/26/2008



Calculation after Bouwer & Rice				
Observation Well	Hydraulic Conductivity			
	[ft/d]			
GP113A-110	3.03 × 10 ⁰			



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP113A-110
 Slug Test: 36-inch
 Test Well: GP113A-110

 Test Conducted by:
 Test Date: 6/26/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/26/2008



	Calculation after Bouwer & Rice	Calculation after Bouwer & Rice			
	Observation Well	Hydraulic Conductivity			
ļ		[ft/d]			
	GP113A-110	3.22 × 10 ⁰			



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP114-24
 Slug Test: 12-inch
 Test Well: GP114-24

 Test Conducted by:
 Test Date: 6/27/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/27/2008



Observation Well	Hydraulic Conductivity			
	[ft/d]			
GP114-24	9.60 × 10 ⁰			



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP114-24

Test Conducted by:


Analysis Performed by:

Slug Test: 24-inch

Test Well: GP114-24

Test Date: 6/27/2008

Analysis Date: 6/27/2008



Calculation after Bouwer	& Rice		
Observation Well	Hydraulic Conductivity		
	[ft/d]		
GP114-24	1.90 × 10 ¹	 	



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20


Client: Siltronic Corporation

Location: GP114-24 Slug Test: 24-inch(2) Test Well: GP114-24

Test Conducted by: Test Date: 7/21/2008

Analysis Performed by: New analysis 1 Analysis Date: 7/21/2008

Aquifer Thickness: 246.06 ft



outstand at the second at the							
Hydraulic Conductivity							
[ft/d]							
1.50 × 10 ⁻⁵							
	Hydraulic Conductivity [ft/d]	Hydraulic Conductivity [ft/d]					




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP114-24	Slug Test: 36-inch	Test Well: GP114-24
Test Conducted by:		Test Date: 6/27/2008
Analysis Performed by:	Bouwer Rice-36 in	Analysis Date: 6/27/2008



Calculation after Bouwer & Rice	Calculation	after	Bouwer	&	Rice
---------------------------------	-------------	-------	--------	---	------

Calculation altor Seamor & Filos							
Observation Well	Hydraulic Conductivity						
.	[ft/d]						
GP114-24	3.88×10^{0}						



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP114-54
 Slug Test: 12-inch
 Test Well: GP114-54

 Test Conducted by:
 Test Date: 6/27/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/27/2008



Calculation after Bouwer & Rice							
	Observation Well	Hydraulic Conductivity					
		[ft/d]					
	GP114-54	5.69 × 10 ⁰					




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP114-54	Slug Test: 24-inch	Test Well: GP114-54
Test Conducted by:		Test Date: 6/27/2008
Analysis Performed by:	Bouwer Rice-24 in	Analysis Date: 6/27/2008



Calculation after Bouwer & Rice							
Observation Well	Hydraulic Conductivity						
	[ft/d]						
GP114-54	6.11 × 10 ⁰						




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP114-54	Slug Test: 36-inch	Test Well: GP114-54
Test Conducted by:		Test Date: 6/27/2008
Analysis Performed by:	Bouwer Rice-36 in	Analysis Date: 6/27/2008



	Calculation after Bouwer & Rice		<u> </u>	
L	alculation after bouwer & nice			
	Observation Well	Hydraulic Conductivity		*
		[ft/d]		
G	P114-54	6.62 × 10 ⁰		




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Slug Test: 12-inch Location: GP114-74 Test Well: GP114-74 Test Conducted by: Test Date: 6/27/2008 Analysis Performed by: Bouwer Rice-12 in Analysis Date: 6/27/2008



	Calculation after Bouwer & Rice		
ĺ	61	 	_

Observation Well	Hydraulic Conductivity	-				-		
	[ft/d]							
GP114-74	3.84×10^{0}							·
1								



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP114-74
 Slug Test: 24-inch
 Test Well: GP114-74

 Test Conducted by:
 Test Date: 6/27/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/27/2008



	Calculation after Bouwer & Rice	alculation after Bouwer & Rice				
Observation Well Hydraulic Conductivity						
		[ft/d]				
	GP114-74	3.88×10^{0}				



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP114-74
 Slug Test: 36-inch
 Test Well: GP114-74

 Test Conducted by:
 Test Date: 6/27/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/27/2008



Calculation after Bouwer		
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP114-74	3.41×10^{0}	



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20


Client: Siltronic Corporation

Location: GP114-90 Slug Test: 12-inchi Test Well: GP114-90

Test Conducted by: Test Date: 6/27/2008

Analysis Performed by: Bouwer Rice-12 in (early) Analysis Date: 6/27/2008

Aquifer Thickness: 75.00 ft



Calculation after Bouwer & Rice

Odiculation after bouwer t	accitation after bouwer & rice			
Observation Well	Hydraulic Conductivity			
	[ft/d]			
GP114-90	3.58 × 10 ⁻¹			



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP114-90
 Slug Test: 24-inch
 Test Well: GP114-90

 Test Conducted by:
 Test Date: 6/27/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/27/2008



Calculation after Bouwer & Rice		
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP114-90	4.44 × 10 ⁻¹	




Slug	Test	Analysis	Repor
------	------	-----------------	-------

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP115-25	Slug Test: 12-inch	Test Well: GP115-25
Test Conducted by:		Test Date: 6/27/2008
Analysis Performed by:	Bouwer Rice-12 in	Analysis Date: 6/27/2008



Calculation after Bouwer	Calculation after Bouwer & Rice					
Observation Well	Hydraulic Conductivity					
}	[ft/d]					
GP115-25	3.91 × 10 ¹					



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20


Client: Siltronic Corporation

Location: GP115-25 Slug Test: 24-inch Test Well: GP115-25

Test Conducted by: Test Date: 6/27/2008

Analysis Performed by: Bouwer Rice-24 in Analysis Date: 6/27/2008





Calculation after Bouwer & Rice					
	Observation Well	Hydraulic Conductivity			
		[ft/d]			
	GP115-25	3.55×10^{1}			



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP115-25
 Slug Test: 36-inch
 Test Well: GP115-25

 Test Conducted by:
 Test Date: 6/27/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/27/2008



Calculation after Bouwer & Rice				
Observation Well Hydraulic Conductivity				
	[ft/d]			
GP115-25	3.39 × 10 ¹			




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP115-59	Slug Test: 12-inch	Test Well: GP115-59
Test Conducted by:		Test Date: 6/27/2008
Analysis Performed by:	Bouwer Rice-12 in	Analysis Date: 6/27/2008



Calculation after Bouwer & Rice				
Observation Well	Hydraulic Conductivity [ft/d]			
GP115-59	2.59 × 10 ⁰			



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP115-59
 Slug Test: 24-inch
 Test Well: GP115-59

 Test Conducted by:
 Test Date: 6/27/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/27/2008



Calculation after Bouwer	Calculation after Bouwer & Rice				
Observation Well	Hydraulic Conductivity				
	[ft/d]				
GP115-59	3.34 × 10 ⁰				



Slug	Test	Analysis	Report
------	------	-----------------	--------

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP115-59
 Slug Test: 36-inch
 Test Well: GP115-59

 Test Conducted by:
 Test Date: 6/27/2008


 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/27/2008

Aquifer Thickness: 75.00 ft

Calculation ofter Bouwer & Dice

 3.79×10^{0}

GP115-59



Calculation after bouwer & Nice		
Observation Well	Hydraulic Conductivity	
	[ft/d]	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP115-80
 Slug Test: 12-inch
 Test Well: GP115-80

 Test Conducted by:
 Test Date: 6/27/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 6/27/2008



Calculation after Bouwer	· & Rice	
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP115-80	1.64×10^{1}	



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20


Client: Siltronic Corporation

 Location: GP115-80
 Slug Test: 24-inch
 Test Well: GP115-80

 Test Conducted by:
 Test Date: 6/27/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/27/2008

Aquifer Thickness: 75.00 ft



Calculation after Bouwer & Rice

Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP115-80	1.43 × 10 ¹	




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP115-80	Slug Test: 36-inch	Test Well: GP115-80
Test Conducted by:		Test Date: 6/27/2008
Analysis Performed by:	Bouwer Rice-36 in	Analysis Date: 6/27/2008



Calculation after Bouwer & Rice				
Observation Well	Hydraulic Conductivity			
	[ft/d]			
GP115-80	1.52 × 10 ¹		 	




Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP115-110	Slug Test: 12-inch	Test Well: GP115-110
Test Conducted by:		Test Date: 6/27/2008
Analysis Performed by:	Bouwer Rice-12 in	Analysis Date: 6/27/2008



Calculation after Bouwer	& Rice	
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP115-110	6.59 × 10 ⁻¹	




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP115-110	Slug Test: 24-inch	Test Well: GP115-110
Test Conducted by:		Test Date: 6/27/2008
Analysis Performed by:	Bouwer Rice-24 in	Analysis Date: 6/27/2008



Calculation after Bouwer 8	k Rice	
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP115-110	4.65 × 10 ⁻¹	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP115-110
 Slug Test: 36-inch
 Test Well: GP115-110

 Test Conducted by:
 Test Date: 6/27/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/27/2008



Calculation after Bouwer	& Rice	
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP115-110	4.78 × 10 ⁻¹	




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP116-74	Slug Test: 12-inch	Test Well: GP116-74
Test Conducted by:		Test Date: 6/27/2008
Analysis Performed by:	Bouwer Rice-12 in	Analysis Date: 6/27/2008



	Calculation after Bouwer & Rice		
	Observation Well	Hydraulic Conductivity	
		[ft/d]	
ſ	GP116-74	3.07×10^{0}	



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP116-74

Test Well: GP116-74


Test Date: 6/27/2008

Analysis Performed by:

Bouwer Rice-24 in

Test Well: GP116-74

Test Date: 6/27/2008



Calculation after Bouwer & Rice		
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP116-74	3.44×10^{0}	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP116-74
 Slug Test: 36-inch
 Test Well: GP116-74

 Test Conducted by:
 Test Date: 6/27/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/27/2008



Calculation after Bouwer	Calculation after Bouwer & Rice				
Observation Well	Hydraulic Conductivity				
}	[ft/d]				
GP116-74	$3.90 \times 10^{\circ}$				




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP116-110	Slug Test: 12-inch	Test Well: GP116-110
Test Conducted by:		Test Date: 6/27/2008
Analysis Performed by:	Bouwer Rice-12 in	Analysis Date: 6/27/2008



Calculation after Bouwer	Calculation after Bouwer & Rice				
Observation Well	Hydraulic Conductivity				
	[ft/d]				
GP116-110	1.96 × 10 ⁰				




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client; Siltronic Corporation

Location: GP116-110	Slug Test: 24-inch	Test Well: GP116-110	
Test Conducted by:		Test Date: 6/27/2008	
Analysis Performed by:	Bouwer Rice-24 in	Analysis Date: 6/27/2008	



Calculation after Bouwer	& Rice		
Observation Well	Hydraulic Conductivity		
	[ft/d]		
GP116-110	1.45 × 10 ⁰		



 1.32×10^{0}

Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation


Location: GP116-110 Slug Test: 36-inch Test Well: GP116-110

Test Conducted by: Test Date: 6/27/2008

Analysis Performed by: Bouwer Rice-36 in Analysis Date: 6/27/2008

Aquifer Thickness: 85.00 ft

GP116-110



Calculation after Bouwer & Rice

Observation Well Hydraulic Conductivity

[ft/d]



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

Location: GP117-75 Slug Test: 12-inch Test Well: GP117-75

Test Conducted by: Test Date: 6/27/2008

Analysis Performed by: Bouwer Rice-12 in Analysis Date: 6/27/2008



Calculation after Bouwer	& Rice	
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP117-75	4.13 × 10 ⁻¹	_




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP117-85	Slug Test: 12-inch	Test Well: GP117-85
Test Conducted by:		Test Date: 6/27/2008
Analysis Performed by:	Bouwer Rice-12 in	Analysis Date: 6/27/2008



Calculation after Bouwer & Rice			
Observation Well	Hydraulic Conductivity		
	[ft/d]		
GP117-85	1.80 × 10 ⁰		



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP117-85
 Slug Test: 24-inch
 Test Well: GP117-85

 Test Conducted by:
 Test Date: 6/27/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 6/27/2008



Calculation after Bouwer	& Rice		
Observation Well	Hydraulic Conductivity [ft/d]		
GP117-85	1.50 × 10 ⁰		



Slug Test Analysis Report


Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP117-85	Slug Test: 36-inch	Test Well: GP117-85
Test Conducted by:		Test Date: 6/27/2008
Analysis Performed by:	Bouwer Rice-36 in	Analysis Date: 6/27/2008





Calculation after Bouwer	Rice	
Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP117-85	1.27×10^{0}	




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP117-100	Slug Test: 12-inch	Test Well: GP117-100
Test Conducted by:		Test Date: 6/27/2008
Analysis Performed by:	Bouwer Rice-12 in	Analysis Date: 6/27/2008



Calculation after Bouwer	& Rice			
Observation Well	Hydraulic Conductivity			
	[ft/d]			
GP117-100	1.84 × 10 ⁰	 	 	




Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20

Client: Siltronic Corporation

Location: GP117-100	Slug Test: 24-inch	Test Well: GP117-100	
Test Conducted by:		Test Date: 6/27/2008	
Analysis Performed by:	Bouwer Rice-24 in	Analysis Date: 6/27/2008	



Calculation after Bouwer	& Rice	
Observation Well	Hydraulic Conductivity	
	[ft/d]	•
GP117-100	2.90 × 10°	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP117-100
 Slug Test: 36-inch
 Test Well: GP117-100

 Test Conducted by:
 Test Date: 6/27/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 6/27/2008



Calculation after Bouwer	r & Rice		
Observation Well	Hydraulic Conductivity		
	[ft/d]		
GP117-100	3.16 × 10°		



Company Name Contact Info Address City, State/Province

Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20


Client: Siltronic Corporation

 Location: GP118-60
 Slug Test: 12-inch
 Test Well: GP118-60

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 7/22/2008

Aquifer Thickness: 75.00 ft



Calculation after Bouwer & Rice

Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP118-60	6.93 × 10 ⁰	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP118-60
 Slug Test: 24-inch
 Test Well: GP118-60

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 7/22/2008



Calculation after Bouwer & Rice									
Observation Well	Hydraulic Conductivity					-			
	[ft/d]								
GP118-60	7.56×10^{0}								



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP118-60
 Slug Test: 36-inch
 Test Well: GP118-60

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 7/22/2008



Calculation after Bouwer & Rice							
Observation Well	Hydraulic Conductivity						
	[ft/d]						
GP118-60	7.40×10^{0}						



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20


Client: Siltronic Corporation

 Location: GP108-115
 Slug Test: 12-inch
 Test Well: GP108-115

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 7/22/2008

Aquifer Thickness: 90.00 ft



Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP108-115	5.41 × 10 ⁻¹	



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20


Client: Siltronic Corporation

 Location: GP108-115
 Slug Test: 24-inch
 Test Well: GP108-115

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 7/22/2008

Aquifer Thickness: 90.00 ft



Observation Well	Hydraulic Conductivity							
	[ft/d]							
GP108-115	6.31 × 10 ⁻¹							



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP108-115
 Slug Test: 36-inch
 Test Well: GP108-115

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 7/22/2008



Calculation	oftor	ROUMOZ	Ω.	Dica	

Observation Well	Hydraulic Conductivity		 	-
	[ft/d]			
GP108-115	5.48 × 10 ⁻¹	 	 	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP119-30
 Slug Test: 12-inch
 Test Well: GP119-30

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 7/22/2008



		•		
Calculation	after Box	Wer &	Rice	

Observation Well	Hydraulic Conductivity		
	[ft/d]		
GP119-30	3.59×10^{1}		



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP119-30
 Slug Test: 24-inch
 Test Well: GP119-30

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 7/22/2008



Calculation after Bouwer & Rice							
Observation Well	Hydraulic Conductivity		-				
	[ft/d]						
GP119-30	3.82 × 10 ¹						



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP119-30
 Slug Test: 36-inch
 Test Well: GP119-30

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 7/22/2008



Calculat	tion afte	r Bouwer & Rice								
			 			_	 		 	
			 	_						

Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP119-30	3.83×10^{1}	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP120-75
 Slug Test: 12-inch
 Test Well: GP120-75

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 7/22/2008



Calculation after Bouwer & Rice								
Observation Well	Hydraulic Conductivity							
	[ft/d]							
GP120-75	5.43 × 10 ⁰							



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128,01.20

Client: Siltronic Corporation

 Location: GP120-75
 Slug Test: 24-inch
 Test Well: GP120-75

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 7/22/2008



Calculation after Bouwer	& Rice			
Observation Well	Hydraulic Conductivity			
	[ft/d]			
GP120-75	3.92×10^{0}	***************************************	 	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP120-75
 Slug Test: 36-inch
 Test Well: GP120-75

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 7/22/2008



Calculat	tion after	Bouwer.	Q.	Rica

Observation Well	Hydraulic Conductivity			
	[ft/d]			٠
GP120-75	3.81 × 10 ⁰	 	 	



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20


Client: Siltronic Corporation

 Location: GP120-90
 Slug Test: 12-inch
 Test Well: GP120-90

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 7/22/2008

Aquifer Thickness: 75.00 ft



Observation Well	Hydraulic Conductivity		
	[ft/d]		
GP120-90	2.27 × 10 ⁰		



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP120-90
 Slug Test: 24-inch
 Test Well: GP120-90

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 7/22/2008



Observation Well	Hydraulic Conductivity				
	[ft/d]				
GP120-90	2.67 × 10 ⁰			 	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP120-90
 Slug Test: 36-inch
 Test Well: GP120-90

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 7/22/2008



	$\overline{}$			_	
Calcula	fion	after	Bouwer	æ	Rice

Observation Well	Hydraulic Conductivity		
	[ft/d]		
GP120-90	2.70×10^{0}		



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP120-110
 Slug Test: 12-inch
 Test Well: GP120-110

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 7/22/2008



Calculation	after	Rouwer	ጲ	Rice
Calculation	aner	DUUWEI	α	LICE

Observation Well	Hydraulic Conductivity		
	[ft/d]		
GP120-110	5.67 × 10 ⁻¹	 	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP120-110
 Slug Test: 24-inch
 Test Well: GP120-110

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 7/22/2008



_		40.00		_	_	page 2	
Сa	ICUIE	mon	aner	Bouwer	Δu	HICE	

Calcalation and Ballion a riles				
Observation Well	Hydraulic Conductivity			
	[ft/d]			
GP120-110	6.06 × 10 ⁻¹			



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP120-110
 Slug Test: 36-inch
 Test Well: GP120-110

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 7/22/2008



Calculation after Bouwer & Rice					
Observation Well	Hydraulic Conductivity				
	[ft/d]				
GP120-110	6.96 × 10 ⁻¹				



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128,01.20

Client: Siltronic Corporation

 Location: GP121-91
 Slug Test: 12-inch
 Test Well: GP121-91

 Test Conducted by:
 Test Date: 7/22/2008

 Analysis Performed by:
 Bouwer Rice-12 in
 Analysis Date: 7/22/2008



Calculation a	ifter	Bouwer	&	Rice
---------------	-------	--------	---	------

Observation Well	Hydraulic Conductivity	
	[ft/d]	
GP121-91	8.89 × 10 ⁻¹	



Slug Test Analysis Report

Project: Source Area Remediation


Number: 8128.01.20

Client: Siltronic Corporation

 Location: GP121-91
 Slug Test: 24-inch
 Test Well: GP121-91

 Test Conducted by:
 Test Date: 7/23/2008

 Analysis Performed by:
 Bouwer Rice-24 in
 Analysis Date: 7/23/2008



			_	
Calculation	after	Bouwer	æ	Rice

	Observation Well	Hydraulic Conductivity					
		[ft/d]					
	GP121-91	7.83 × 10 ⁻¹					



Slug Test Analysis Report

Project: Source Area Remediation

Number: 8128.01.20


Client: Siltronic Corporation

 Location: GP121-91
 Slug Test: 36-inch
 Test Well: GP121-91

 Test Conducted by:
 Test Date: 7/23/2008

 Analysis Performed by:
 Bouwer Rice-36 in
 Analysis Date: 7/23/2008

Aquifer Thickness: 75.00 ft



Observation Well	Hydraulic Conductivity	 	 	
	[ft/d]			
GP121-91	1.05 × 10 ⁰	 		